



Textile Processing

LASER MICRONISED GOLDEN YELLOW TP 1

LASER MICRONISED GOLDEN YELLOW TP 1 Pigment emulsions are versatile and can be applied universally to all types of fibers and fiber blends, using a consistent application method. They are ideal for various uses, including fashion fabrics, home furnishings, outdoor fabrics, as well as bedding, blinds, curtains, and automotive fabrics.

Versatile applications include direct, discharge, and resist printing, as well as coating and dyeing. Ideal for printing special effects such as matte white, matte colored, lacquer gold, silver, and pearlescent finishes.

Uniform particle size distribution with a robust dispersion system prevents clogging of print paste and screen blockage. It also prevents pigment particles from re-aggregating, ensuring better rub fastness, high strength, vibrant color build-up, and enhanced brilliance in prints.

The pigments are homogeneously dispersed and maintain consistent viscosity during storage. They offer excellent pumpable viscosity, making them ideal for automatic color kitchens.

Slow drying properties reduce wastage and prevent agglomeration during storage. Consistent final color paste viscosity is maintained due to the low electrolyte content.

ZERO FORMALDEHYDE PIGMENT PRINTING SYSTEM

Benefits: No formaldehyde added, either in the formulation or raw material components. Formaldehyde levels remain stable throughout the garment's life cycle. Eco-friendly products. Enhances corporate image as responsible and reliable.

Guideline Recipe

Auxiliary	Quantity (Parts)
LASER BINDER	8-25
LASER PWT (Levling Agent)	0.5-1.0
KEROSOL 3000(Thickner)	1.6-1.8
EXCELLENT 500 ECO(Fixer)	1-2
PIGMASOFT ECL(Softner)	0.5-1.0
WATER	Balance quantity
TOTAL	100

Applications:

Home textiles & Knits etc
Clothes, especially for baby & children

Printing Process:

Print ---- Dry (100°C, 2 min) - Cure (150°C, 5 min)

The information and our technical advice - whether verbal, in writing or by way of trials - are given in good faith but without warranty, and are based on our current knowledge and experience. In view of the many factors that may affect processing/printing and application of our product, these data do not relieve processors/printers from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the product for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein may change without prior information and do not constitute the agreed

contractual quality of the product.

Our advice does not release you from the obligation to check its validity and to test our products as to their suitability for the intended processes and uses. The application, use and processing of our products and the products manufactured by you on the basis of our technical advice are beyond our control and, therefore, entirely your own responsibility.

It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed.

Electron Group
230 New Apollo Estate, Mogra Lane, Andheri (E), Mumbai 400069, India. Ph- +91 99200 77766
e-mail- info@electrongroup.com, website- <http://www.electrongroup.com>

Copyright © 2025 Electron Group